www.himedialabs.com Safety data sheet(SDS) According to Regulation (EC) No.1907/2006 Revision : 00002

Date of Revision : 26.02.2022

#### 1 Identification of the substances/ mixture and of the company/ undertaking

1.1	1 Product Identifiers			
	Product Number	M1064I		
	Product Name	Listeria Identification Agar (PALCAM)		
	<b>REACH Registration Number</b>	This product is a mixture. Reach registrat	tion number is not available for	
		this mixture.		
1.2	Relevant identified uses of the substance or mixture and uses advised against			
1.2.1	Relevant identified uses	Laboratory Chemicals, Analytical Purpose	, Biochemical Analysis	
1.3	Details of the supplier of th	he safety data sheet		
	Produced by	HiMedia Laboratories Private Limited		
	Address	C - 40,Road No.21Y,MIDC, Wagle Industr	ial Area, Thane(W), - 400 604, India	
	Tel. No.	+91-22- 6147 1919/6116 9797	Fax No. : +91-22- 61471920	
	Mail Id	info@himedialabs.com	Website : www.himedialabs.com	
1.4	Emergency Tel. No.			
Emergency Tel. No. Please contact the regional HiMedia representation in your count		esentation in your country		

#### 2 Hazards Identification

LIMEDIA

#### 2.1 Classification of the substance or mixture *CLP Classification-Regulation (EC) No. 1272/2008[EU-GHS/CLP]*

Acute toxicity, Oral, (Category 4), H302 Skin corrosion or irritation, (Category 2), H315 Serious eye damage or eye irritation, (Category 2A), H319 Specific target organ toxicity, single exposure, Respiratory tract irritation, (Category 3), H335

## 2.2 Label elements

### Labeling according to Regulation (EC) No.1272/2008



Pictogram Signal word Warning

Hazard Statement(s)

H302 Ha	rmful if swallowed
---------	--------------------

- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation

Precautionary Statement(s)

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P312	IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell.
P302 + P352	IF ON SKIN: wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

# 2.3 Other Hazards

#### None

#### 3 Composition/Information On Ingredients

#### 3.2 Mixture

Со	mponent	Classification	Concentration
Ferric ammoniu	m citrate		
CAS No. :	1185-57-5	As Per EC Regulation 1272/2008	>=0.1 - <=1.0%
EC No. :	214-686-6	Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3	
		H315; H319; H335	

Com	nponent	Classification	Concentration
Lithium chloride			
CAS No. :	7447-41-8	As Per EC Regulation 1272/2008	>=20 - <=100%
EC No. :	231-212-3	Acute Tox.oral 4; Eye Irrit. 2A; STOT SE 3; Skin Irrit. 2 H302; H319; H335; H315	

	Component	Classification	Concentration
Phenol red			
CAS No. :	143-74-8	As Per EC Regulation 1272/2008	>=0.1 - <=1.0%
EC No. :	205-609-7	Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3 H315; H319; H335	

Refer Section 16 for complete statement of H codes & classification.

#### 4 First Aid Measures

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash with plenty of soap and water. Consult a physician.

	<i>In case of eye contact</i> Rinse immediately with plenty of water for at least 15 minutes. Consult a physician.
	If swallowed
	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
4.2	Most important symptoms and effects, both acute and delayed
	No data available.
4.3	Indication of immediate medical attention and special treatment needed No data available
5	Fire Fighting Measures
5.1	Extinguishing media
	<i>Suitable extinguishing media</i> Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
	Unsuitable extinguishing media
	No data available.
5.2	Special hazards arising from the substance or mixture Carbon oxides, Sodium oxides, Hydrogen chloride gas, Lithium oxides, Nitrogen oxides (NOx)
5.3	Precautions for fire-fighters
5.5	Wear self contained breathing apparatus for fire fighting if necessary
5.4	Further information
	No data available
<u> </u>	
6 6.1	Accidental Release Measures Personal precautions, protective equipment and emergency procedures
0.1	Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.
	Evacuate personnel to safe areas.
6.2	Environmental precautions
	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
6.3	Methods and materials for containment and cleaning up
	Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.
6.4	Reference to other sections For disposal see Section 13.
7	Handling and Storage
7.1	Precautions for safe handling
	Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Normal measures for
7 7	preventive fire protection.
7.2	<b>Conditions for safe storage, including any incompatibilities</b> Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which
	are opened must be carefully resealed and kept upright to prevent leakage.
	<b>Recommended Storage Temperature :</b> On receipt store between 10-30°C
7.3	Specific end uses
	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

#### 8 Exposure Controls/Personal Protection

#### 8.1 Control parameters

Components with workplace control parameters

#### 8.2 Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the products.

#### Personal protective equipment

#### Hygiene measure

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with the product.

#### Eye/face protection

Tightly fitting saftey goggles; Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425/EEC and the standard EN ISO 374-1/2016 derived from it.

#### **Body protection**

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Environment exposure controls

Do not empty into drains.

#### 9 Physical and chemical properties

9.1	9.1 Information on basic physical and chemical properties		
	Appearance	Light yellow to pink coloured homogeneous	
		free flowing powder	

	free flowing powder.
Odour	No data available
Odour Threshold	No data available
рН	7.00 - 7.40
Melting/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	No data available
Flammability (Solid, gas)	No data available
Vapour pressure	No data available
Relative density	No data available
Water Solubility	No data available
Partition coefficient: n-octanol/water	No data available

Autoignition Temperature No data available Viscosity **Explosive properties Oxidizing properties** Vapour density Thermal decomposition 9.2 Other safety information No data available 10 **Stability and Reactivity** 10.1 Reactivity No data available 10.2 **Chemical stability** No data available 10.3 Possibility of hazardous reactions No data available 10.4 **Conditions to avoid** No data available Incompatible materials 10.5 Strong oxidizing agents 10.6 Hazardous decomposition products Refer Section 5.2

11 **Toxicological Information** 

11.1 Information on toxicological effects Acute toxicity No data available Skin corrosion/irritation No data available Serious eye damage/eye irritation No data available Respiratory or skin sensitisation No data available Germ cell mutagenicity No data available Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity- single exposure No data available

Aspiration hazard

No data available

No data available No data available No data available No data available No data available Potential Health Effects Inhalation REFER SECTION 2 Skin REFER SECTION 2 Eyes REFER SECTION 2 Ingestion REFER SECTION 2 Additional Information RTECS : Not available

#### 11.2 Components

#### Ferric ammonium citrate

Acute Oral Toxicity RatLD50: >2000 mg/kg Acute Potential Health Effects Skin Contact may cause irritation or rash, particularly with moist skin. Eyes May cause eye irritation with redness, tearing, and abrasion. Inhalation Inhalation of high concentrations of dust may cause nasal, throat or lung irritation. Symptoms may include coughing and wheezing. Ingestion Ingestion can produce gastrointestinal tract irritation with hyper motility, diarrhea.

#### Chronic Potential Health Effects

*Eyes* Prolonged eye contact may cause a brownish discoloration of the eyes. *Skin* Prolonged skin contact may cause skin irritation.

#### Additional information:

RTECS: GE7540000 Lithium chloride Acute oral toxicity Rat LD50: 526 mg/kg(As per RTECS) Acute inhalation toxicity Rat LC50: >5.57 mg/l; 4 h; aerosol (As per OECD Test Guideline 403) Acute dermal toxicity Rat LD50: >2.000 mg/kg (As per OECD Test Guideline 403) Skin irritation Rabbit Result:Irritations(As per IUCLID) Eye irritation Rabbit Result:Eye irritation(As per IUCLID) Germ cell mutagenicity Genotoxicity in vitro Ames test Result: Negative

#### **Additional Information:**

RTECS:0J5950000

#### **Phenol Red**

Acute Oral Toxicity LD50 Rat: >600 mg/Kg Intravenous Rat LD50:752 mg/Kg Intravenous Mouse LD50: 1368 mg/Kg Inhalation: May cause respiratory irritation.

#### **Additional Information:**

RTECS SJ7490000

#### 12 Ecological Information

#### 12.1 Toxicity

No data available **Ammonium Ferric Citrate**  *Eco toxicity* No data available.

#### Components:

Lithium Chloride Toxicity to Fish LC50 Oncorhynchus mykiss (rainbow trout): 158 mg/l; 96 h (Static test, As per OECD Test Guideline 203) Toxicity to Daphnia EC50 Daphnia magna (water flea): 249 mg/l; 48 h (Static test, As per OECD Test Guideline 202) Toxicity to Algae EC50 Desmodesmus subspicatus (green algae): Static test > 400 mg/l; 72 h (Static test, As per OECD Test Guideline 201) Phenol Red Eco Toxicity, No data available.

Page 7 of 9

12.2	Persistence and degradability
	No data available
12.3	Bioaccumulative potential
	No data available
12.4	Mobility in soil
	No data available
12.5	PBT and vPvB assessment
	No data available
12.6	Other adverse effects
	No data available
13	Disposal Considerations
13.1	Waste treatments methods
	Product
	Offer surplus and non-recyclable solutions to a licenced disposal company. Contact a licenced
	professional waste disposal service to dispose off this material.
13.2	Contaminated packaging
	Dispose of as unused product.
·	
14	Transport Information
14.1	UN-No
	ADNR : ADR : IATA_C : IATA_P : IMDG : RID :
14.2	UN proper shipping name
	ADNR : Not dangerous goods
	ADR : Not dangerous goods
	IATA_C : Not dangerous goods
	IATA_P : Not dangerous goods
	IMDG : Not dangerous goods
	RID : Not dangerous goods
14.3	Transport hazard class(es)
	ADNR:-ADR:-IATA_C:-IATA_P:-IMDG:-RID:-
14.4	Packaging group
14.4	ADNR : ADR : IATA_C : IATA_P : IMDG : RID :
	ADIN ADIN IATA_C IATA_F INVIDO INTD I
14.5	Environmental hazards
	ADNR : No ADR : No IMDG : Marine Pollutant No IATA_C : No IATA_P : No RID : No
14.6	Special precautions for use
	No data available
15	Regulatory Information
	This safety datasheet complies with the requirements of Regulation(EC) No. 1907/2006.
15.1	Safety health and environment regulations/legislation specific for the substance or
	mixture
	No data available
	Page <b>8</b> of <b>9</b>

#### 15.2 Chemical Safety Assessment

No data available

#### 16 Other information Text of H codes and classification mentioned in section 3 H302 Harmful if swallowed H315 Causes skin irritation H319 Causes serious eye irritation H335 May cause respiratory irritation Acute Tox.oral 4 Acute toxicity, oral, Category 4 Eye Irrit. 2A Serious eye damage or eye irritation, Category 2A Skin Irrit. 2 Skin corrosion or irritation, Category 2 STOT SE 3 Specific target organ toxicity, single exposure, Respiratory tract irritation, Category 3

#### **Further Information**

Copyright 2016 HiMedia Laboratories Pvt. Ltd.

The information given in this safety data sheet is believed to be correct yet does not claim to be all inclusive. This document is intended only as a guide for appropriate precautionary handling of the material by properly trained individuals, information here being commensurate with the present state of our knowledge regarding the manner and conditions of use, handling, storage or disposal. The information provided herein shall not be considered as guarantee of the properties of the product. HiMedia Laboratories, shall not be held liable for any damage resulting from improper handling or contact with the above product. Unless explicitly stated on the product or in any of the documentation accompanying the product, it is intended for research or testing purpose only and is not to be used for any other purpose.