

www.himedialabs.com

Safety data sheet(SDS)

According to Regulation (EC) No.1907/2006

Revision: 00003

Date of Revision: 12.02.2022

# 1 Identification of the substances/ mixture and of the company/ undertaking

1.1 Product Identifiers

Product Number M246

Product Name Inhibitory Mold Agar, Ulrich (Mold Inhibitory Agar, Ulrich)

REACH Registration Number This product is a mixture. Reach registration number is not available for

this mixture.

1.2 Relevant identified uses of the substance or mixture and uses advised against

**1.2.1** Relevant identified uses Laboratory Chemicals, Analytical Purpose, Biochemical Analysis

InVitro Diagnostic Use

1.3 Details of the supplier of the safety data sheet

Produced by HiMedia Laboratories Private Limited

Address C - 40,Road No.21Y,MIDC, Wagle Industrial Area, Thane(W), - 400 604, India

Tel. No. +91-22- 6147 1919/6116 9797 Fax No. : +91-22- 61471920 Mail Id info@himedialabs.com Website : www.himedialabs.com

1.4 Emergency Tel. No.

Emergency Tel. No. Please contact the regional HiMedia representation in your country

## 2 Hazards Identification

## 2.1 Classification of the substance or mixture

CLP Classification-Regulation (EC) No. 1272/2008[EU-GHS/CLP]

Carcinogenicity, (Category 1B), H350

2.2 Label elements

Labeling according to Regulation (EC) No.1272/2008



Pictogram

Signal word Danger

Hazard Statement(s)

H350 May cause cancer

Precautionary Statement(s)

P201 Obtain special instructions before use.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

## 2.3 Other Hazards

None

# 3 Composition/Information On Ingredients

#### 3.2 Mixture

Co	mponent	Classification	Concentration
Chloramphenico	ol		
CAS No.:	56-75-7	As Per EC Regulation 1272/2008	>=0.1 - <=1.0%
EC No.:	200-287-4	Carc. 1B H350	

Component		Classification	Concentration	
Manganese sulpl	hate			
CAS No.:	10034-96-5	As Per EC Regulation 1272/2008	>=0.1 - <=1.0%	
EC No.:	232-089-9	STOT RE 2; Aquatic Chronic 2 H373;		
Index-No :	025-003-00-4	H411		

Co	mponent	Classification	Concentration
Ferrous sulphate	e heptahydrate		
CAS No.:	7782-63-0	As Per EC Regulation 1272/2008	>=0.1 - <=1.0%
EC No.:	231-753-5	Acute Tox.oral 4; Skin Irrit. 2; Eye Irrit.	
		2A H302; H315; H319	

Refer Section 16 for complete statement of H codes & classification.

# 4 First Aid Measures

# 4.1 Description of first aid measures

# General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

# If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### *In case of skin contact*

Wash with plenty of soap and water. Consult a physician.

# In case of eye contact

Rinse immediately with plenty of water for at least 15 minutes. Consult a physician.

# If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

No data available.

## 4.3 Indication of immediate medical attention and special treatment needed

No data available

# 5 Fire Fighting Measures

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Unsuitable extinguishing media

No data available.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Sodium oxides, Magnesium oxides, Sulphur oxides, Hydrogen chloride gas, Oxides of phosphorus

# **5.3** Precautions for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary

## 5.4 Further information

No data available

# 6 Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see Section 13.

# 7 Handling and Storage

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Normal measures for preventive fire protection.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended Storage Temperature: On receipt store between 15-25°C

#### 7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

#### 8 Exposure Controls/Personal Protection

#### 8.1 Control parameters

Components with workplace control parameters

## 8.2 Exposure controls

## Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the products.

# Personal protective equipment

Hygiene measure

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with the product.

# Eye/face protection

Tightly fitting saftey goggles; Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425/EEC and the standard EN ISO 374-1/2016 derived from it.

#### **Body protection**

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Environment exposure controls**

Do not empty into drains.

## 9 Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Appearance Cream to yellow coloured homogeneous free flowing powder

No data available

Odour Odour Threshold No data available No data available

pH 6.50 - 6.90

Melting/freezing point
No data available
Initial boiling point and boiling range
No data available
Flash point
No data available
Flammability (Solid, gas)
No data available
Vapour pressure
No data available
Relative density
No data available
Water Solubility
No data available

Water Solubility
Partition coefficient: n-octanol/water
Autoignition Temperature
Viscosity
No data available
Explosive properties
No data available
Oxidizing properties
No data available
Vapour density
No data available

# 9.2 Other safety information

Thermal decomposition

No data available

# 10 Stability and Reactivity

# 10.1 Reactivity

No data available

## 10.2 Chemical stability

No data available

# 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

# 10.5 Incompatible materials

Strong oxidizing agents

## 10.6 Hazardous decomposition products

Refer Section 5.2. Other Decomposition products not known.

## 11 Toxicological Information

# 11.1 Information on toxicological effects

# Acute toxicity

No data available

#### Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitisation

No data available

# **Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

## Reproductive toxicity

No data available

# Specific target organ toxicity- single exposure

No data available

## **Aspiration hazard**

No data available

# Potential Health Effects

Inhalation

**REFER SECTION 2** 

Skin

**REFER SECTION 2** 

Eyes

**REFER SECTION 2** 

Ingestion

**REFER SECTION 2** 

**Additional Information** 

RTECS: No data available

## 11.2 Components

## Chloramphenicol

Acute oral Toxicity
Rat LD50: 2.500 mg/kg

Rat Intraperitoneal LD50: 1.811 mg/kg Mouse Intraperitoneal LD50: 1.100 mg/kg

Respiratory or skin sensitization

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

Germ Cell Mutagenicity

Lab experiments have shown mutagenic effects.

Classified by IARC as Group 2A probable carcinogen to humans

Reproductive toxicity

May cause congenital malformation in the fetus.

Additional Information RTECS: AB6825000

# Ferrrous Sulphate, Heptahydrate

Acute Oral Toxicity
Rat LC50: 319 mg/kg
Additional Information
RTECS:NO8510000

# Manganese sulphate

Acute oral toxicity Rat LD50 :2,150 mg/kg

(As per IUCLID)

Acute Dermal Toxicity
Rat LD50: Not determined.
Acute Inhalation Toxicity
Pat LC50: > 4.45 mg/l

Rat LC50 : > 4.45 mg/l

(As per OECD Test Guideline 403)

Additional Information RTECS: OP1050000

# 12 Ecological Information

# 12.1 Toxicity

No data available for this mixture

**Components:** 

# Chloramphenicol

Toxicity to Daphnia and other aquatic invertebrates Daphnia magna(Water flea) EC50: 345 mg/l; 48 h

**Components:** 

Ferrous Sulphate, heptahydrate

Toxicity to fish

Poecilia reticulata(guppy) LC50: 925 mg/l; 96 h (As Per IUCLID)

Toxicity to daphnia and other aquatic invertebrates

Daphnia magna (Water flea) EC50: 152 mg/l; 48 h (anhydrous substance) (As Per IUCLID)

Toxicity to bacteria

Pseudomonas fluorescens EC50: 100 mg/l; 24 h (anhydrous substance) (As Per IUCLID)

## Components

# Manganese sulphate

Toxicity to Fish

Onchorhynchus mykiss (Rainbow trout) LC50 :14.5 mg/l; 96h. Pimephales promelas (fathead minnow) LC50 : 30.6 mg/l; 96 h.

Toxicity to daphnia and other aquatic invertebrates Daphnia magna (Water flea) EC50: 8.3 mg/l; 48 h.

Acute Toxicity to Aquatic Plants

Desmodesmus subspicatus (algae) EC50 61 mg/l; 72 h

(As per OECD Test Guideline 201)

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating or toxic (PBT) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

No data available

#### 13 Disposal Considerations

#### 13.1 Waste treatments methods

#### **Product**

Offer surplus and non-recyclable solutions to a licenced disposal company. Contact a licenced professional waste disposal service to dispose off this material.

# 13.2 Contaminated packaging

Dispose of as unused product.

# 14 Transport Information

#### 14.1 UN-No

ADNR: ADR: IATA\_C: IATA\_P: IMDG: RID:

# 14.2 UN proper shipping name

ADNR : Not dangerous goods ADR : Not dangerous goods IATA\_C : Not dangerous goods IATA\_P : Not dangerous goods IMDG : Not dangerous goods RID : Not dangerous goods

14.3 Transport hazard class(es)

ADNR: -ADR: -IATA\_C: -IATA\_P: -IMDG: -RID: -

14.4 Packaging group

ADNR : ADR : IATA\_C : IATA\_P : IMDG : RID :

14.5 Environmental hazards

ADNR: No ADR: No IMDG: Marine pollutant No IATA\_C: No IATA\_P: No RID: No

14.6 Special precautions for use

No data available

## 15 Regulatory Information

This safety datasheet complies with the requirements of Regulation(EC) No. 1907/2006.

# 15.1 Safety health and environment regulations/legislation specific for the substance or mixture

No data available

#### 15.2 Chemical Safety Assessment

No data available

#### 16 Other information

Text of H codes and classification mentioned in section 3

H302 Harmful if swallowed H315 Causes skin irritation

H319 Causes serious eye irritation

H350 May cause cancer

H373 May cause damage to organs through prolonged or repeated

exposure

H411 Toxic to aquatic life with long lasting effects

Acute Tox.oral 4 Acute toxicity, oral, Category 4

Aquatic Chronic 2 Hazardous to the aquatic environment, long term hazard, Category 2

Carc. 1B Carcinogenicity, Category 1B

Eye Irrit. 2A Serious eye damage or eye irritation, Category 2A

Skin Irrit. 2 Skin corrosion or irritation, Category 2

STOT RE 2 Specific target organ toxicity, repeated exposure, Category 2

# **Further Information**

Copyright 2016 HiMedia Laboratories Pvt. Ltd.

The information given in this safety data sheet is believed to be correct yet does not claim to be all inclusive. This document is intended only as a guide for appropriate precautionary handling of the material by properly trained individuals, information here being commensurate with the present state of our knowledge regarding the manner and conditions of use, handling, storage or disposal. The information provided herein shall not be considered as guarantee of the properties of the

handling or contact with the above product. Unless explicitly stated on the product or in any of the documentation accompanying the product, it is intended for research or testing purpose only and is not to be used for any other purpose.					